

AGILENT TECHNOLOGIES, INC.  
Legal Department, DL429  
Intellectual Property Administration  
P. O. Box 7599  
Loveland, Colorado 80537-0599

ATTORNEY DOCKET NO. 10021296-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Laurakay Bruhn

Serial No.: 10/633,609

Examiner: Jerry Lin

Filing Date: July 31, 2003

Group Art Unit: 1631

Title: MASKING CHEMICAL ARRAYS

COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria VA 22313-1450

NOTICE OF APPEAL FROM THE EXAMINER TO THE  
BOARD OF PATENT APPEALS AND INTERFERENCES

Sir:

Applicant hereby appeals to the Board of Patent Appeals and Interferences from the decision of the examiner dated, March 19, 2008, rejecting the following claims 1-13, 17-19, 34, 49, 50, 56, 57 and 59-70.

The fee for this Notice of Appeal (37 CFR 1.17(b)) is **\$510.00**

(complete (a) or (b) as applicable)

The proceedings herein are for a patent application and the provisions of 37 CFR 1.136(a) apply.

☒ (a) Applicant petitions for an extension of time under 37 CFR 1.136 (fees: 37 CFR 1.17(a)-(d) for the total number of months checked below:

<input checked="" type="checkbox"/>	one month	\$ 120.00
<input type="checkbox"/>	two months	\$ 450.00
<input type="checkbox"/>	three months	\$1020.00
<input type="checkbox"/>	four months	\$1590.00

☐ The extension fee has already been filled in this application.

☐ (b) Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition and fee for extension of time.

Please charge to Deposit Account **50-1078** the sum of **\$630.00**. At any time during the pendency of this application, please charge any fees required or credit any overpayment to Deposit Account **50-1078** pursuant to 37 CFR 1.25.

Respectfully submitted,  
Laurakay Bruhn

By /Bret E. Field, Reg. No. 37,620/

Bret E. Field for John Brady  
Attorney/Agent for Applicant(s)

Reg. No. 37,620

Date: June 30, 2008

Telephone No. (650) 327-3400